

TECHNICAL DATA SHEET



Bouni® E936
Version 2.0 @CN

Revision Date: 06/19/2020
Print Date: 07/10/2020

Chemical nature

Water-based Polyethylene Wax Emulsion

Application

- Digital inks
- Floor polish
- Coil coatings
- Metal die release agent

Delivery Specifications/*General Properties

Characteristics	Unit	Value	Test Method
Solids Content	[%]	35	-
Softening Point(wax)	[°C]	138	GB/T 4507-2014
Viscosity @20°C	[mPa·s]	100	GB/T 2794-2013
Ionic Character	-	Non ionic	-
*pH-Value	-	7.0~8.0	-
Appearance	-	Light Yellow Emulsion	-

Packaging/Storage

Products are packaged in net weight 50/125/200 kg drum. Please store at least 12 months under +6~28°C, to avoid frozen and temperature higher than 40°C.

Safety

The product does not require a hazard warning label.

For further information please refer to the Material Safety Data Sheet(MSDS).

Contact

www.bouni-wax.com

DaRong Center, No.180 Haier Road, QingDao City, 266101

TEL: +86-532-55760890

FAX: +86-532-55760890

Disclaimer: The information submitted in this publication is based on our current knowledge and experience. In view of the many factors that may affect processing and application, these data do not relieve processors of the responsibility of carrying out their own tests and experiments; neither do they imply any legally binding assurance of suitability for a specific purpose. It is the responsibility of those to whom we supply our products to ensure that any proprietary rights and existing laws and legislation are observed.

END OF TECHNICAL DATA SHEET

® Registered trademark of Bouni.

© 2020 QingDao Bouni Chemical Co.,Ltd.